


Certificaciones de producto

Otras certificaciones



Certificaciones



SUBFamilia	Producto	Tecnología	Tipo de certificación	
Epóxicos	Sigmacover 555	Atmosféricos & inmersión	<ul style="list-style-type: none"> • EI 1541 2.2 Aviation fuel handling systems • EI 1541 2.3 Aviation fuel handling systems 	
	PEMEX RA-26 MOD 053		BRE Global Scheme Document 207, EN 15804:2012+A1:2013 Sustainability of construction works - Environmental product declarations,	
	PEMEX RI-41 053	Atmosféricos	<ul style="list-style-type: none"> • EI 1541 2.2 Aviation fuel handling systems • EI 1541 2.3 Aviation fuel handling systems 	
Liners	E-600 IND	Marea y oleaje	<ul style="list-style-type: none"> • GB/T 5369-2008 Drinking water tank coating for shipbuilding <ul style="list-style-type: none"> • GB/T 6745-2008 Topside Paint • GB/T 6746-2008 Oil tank paint for ship • GB/T 6747-2008 Shop primer for ship building • GB/T 6748-2008 Anticorrosive paint for ship • GB/T 6822-2014 Antifouling and anticorrosive paint systems for ship hull <ul style="list-style-type: none"> • GB/T 9260-2008 Boottopping paint for ship <ul style="list-style-type: none"> • GB/T 9261-2008 Deck Paint • GB/T 9262-2008 Cargo hold paint for ship 	
	PEMEX RE-36 MOD 053		<ul style="list-style-type: none"> • GB/T 5369-2008 Drinking water tank coating for shipbuilding <ul style="list-style-type: none"> • GB/T 6745-2008 Topside Paint • GB/T 6746-2008 Oil tank paint for ship • GB/T 6747-2008 Shop primer for ship building • GB/T 6748-2008 Anticorrosive paint for ship • GB/T 6822-2014 Antifouling and anticorrosive paint systems for ship hull <ul style="list-style-type: none"> • GB/T 9260-2008 Boottopping paint for ship <ul style="list-style-type: none"> • GB/T 9261-2008 Deck Paint • GB/T 9262-2008 Cargo hold paint for ship 	
	PPG A30	Inmersión petróleo	EI 1541 2.2 Aviation fuel handling systems	Norsok M-501, Edition 5
	CFE P-7-92	Alquitrán de hulla	<ul style="list-style-type: none"> • BRE Global Scheme Document 207 • EN 15804:2012+A1:2013 Sustainability of construction works - Environmental product declarations 	

Certificaciones



SUBFamilia	Producto	Tecnología	Tipo de certificación
Liners maquila	CONOGLAZE MA-228	Coatings/ Epoxy Novolak	EPA Method 24 - Determination Of Volatile Matter Content, Water Content, Density Volume Solids etc.
	SAUEREISEN S-54	Membranes & Expansion joints / Hight temperature Membrane	<ul style="list-style-type: none"> • CSA Z245.20-14 Section 12.8 cathodic disbondment • CSA Z245.30-14 Field-applied external coatings for steel pipeline systems
	SAUEREISEN 65	Mortar & Settings Beds / Corrosion-resistance Mortaar	NOM-123-SEMARNAT
	FIBRELINE	Lining/ Vinyl ester fiberline	
Aditivos	IN-990	Inhibidor de corrosión	CAP 437 Standards for offshore helicopter landing areas
	Amercoat 888	Aditivo óxido de aluminio	<ul style="list-style-type: none"> • GB/T 5369-2008 Drinking water tank coating for shipbuilding <ul style="list-style-type: none"> • GB/T 6745-2008 Topside Paint • GB/T 6746-2008 Oil tank paint for ship • GB/T 6747-2008 Shop primer for ship building • GB/T 6748-2008 Anticorrosive paint for ship • GB/T 6822-2014 Antifouling and anticorrosive paint systems for ship hull <ul style="list-style-type: none"> • GB/T 9260-2008 Boottopping paint for ship • GB/T 9261-2008 Deck Paint • GB/T 9262-2008 Cargo hold paint for ship

Certificaciones



SUBFamilia	Producto	Tecnología	Tipo de certificación
Temperaturas extremas	Sigmatherm 540	Bajo aislamiento	NOM-123-SEMARNAT
	HI-TEMP 500	Alta temperatura	<ul style="list-style-type: none"> • GB/T 5369-2008 Drinking water tank coating for shipbuilding • GB/T 6745-2008 Topside Paint • GB/T 6746-2008 Oil tank paint for ship <ul style="list-style-type: none"> • GB/T 6747-2008 Shop primer for ship building • GB/T 6748-2008 Anticorrosive paint for ship • GB/T 6822-2014 Antifouling and anticorrosive paint systems for ship hull <ul style="list-style-type: none"> • GB/T 9260-2008 Boottopping paint for ship <ul style="list-style-type: none"> • GB/T 9261-2008 Deck Paint • GB/T 9262-2008 Cargo hold paint for ship
Polisiloxanos	PEMEX RA-35 053	Base solvente	NOM-123-SEMARNAT